ATTACHMENT A

CARRIER INTERCONNECTION PERFORMANCE PLAN

- 1. SBC/Ameritech shall provide the Commission with performance measurement results, on a monthly basis in an Excel spreadsheet format, demonstrating SBC/Ameritech's monthly performance provided to the aggregate of all CLECs in the SBC/Ameritech Service Area within each of the 13 SBC/Ameritech States, as compared to SBC/Ameritech's retail performance (where applicable). SBC/Ameritech shall also provide the Commission, state commissions in the SBC/Ameritech States, and CLECs with access to SBC/Ameritech's Internet website, where these parties can obtain performance measurement results demonstrating SBC/Ameritech's monthly performance provided to the aggregate of all CLECs, as compared to SBC/Ameritech's retail performance (where applicable). SBC/Ameritech shall also provide the CLECs, via SBC/Ameritech's Internet website access to performance measurement results demonstrating SBC/Ameritech's monthly performance provided to that same CLEC on an individual basis. All such CLEC-specific data shall be made available, subject to protective agreements, to the Commission via SBC/Ameritech's internet website, and will be made available for review, subject to protective agreements, by state commissions in the SBC/Ameritech States.
- 2. SBC/Ameritech's implementation of the Plan does not limit either the Commission's or the States' authority regarding performance monitoring, in the context of applications for inregion, interLATA relief under 47 U.S.C. § 271 or otherwise.
- 3. The performance measurements, benchmarks, and statistical methods utilized in the Plan were based upon those developed in the Texas collaborative process involving SBC/Ameritech's application for in-region interLATA relief, except as follows:
 - a. The Plan requires payments to be made to the U.S. Treasury on Measurements ##2d, 5, and 11b at the Low level, while in the Texas plan no payments to the Texas State Treasury are made on these measurements;
 - b. The benchmark for Measurement #5 in the Plan does not require the average of the remainder to be within 20% of the benchmark;
 - c. Measurement #13 in the Plan includes additional disaggregation for LNP and LNP with loop;
 - d. The benchmark for Measurement #14 is 99% in the Plan, and 99.5% in the Texas plan; and
 - e. A benchmark is included for Measurement #15 in the Plan, but is yet to be determined in the Texas plan.
- 4. Any changes in the design of these measurements for purposes of these Conditions must be approved by the Commission. SBC/Ameritech and the Commission shall jointly review

the 20 measurements on an annual basis, to determine whether measurements should be added, deleted, or modified.

Performance Measurements

- 5. In each SBC/Ameritech State, the Plan shall consist of 20 measurements of performance that may have a direct and immediate impact upon a CLEC's end user customer. The 20 performance measurements are designed to demonstrate whether SBC/Ameritech is providing parity or benchmark performance in its Service Areas to each CLEC. Attachment A-1 provides a list of the 20 performance measurements, and Attachments A-2a and A-2b provide a description of the definitions, exclusions, business rules, levels of disaggregation, calculation, and reporting structure for each of the 20 performance measurements.
- 6. Where SBC/Ameritech provides a CLEC a service that has a retail analog, the performance SBC/Ameritech provides to its own retail operations within a state or identified geographic area with a state shall be compared with the performance SBC/Ameritech provides to the CLEC within the same state or geographic area to determine if parity exists. Where SBC/Ameritech provides a CLEC a service for which there is no retail analog, the performance SBC/Ameritech provides to the CLEC shall be compared with a benchmark.
- 7. Generally accepted statistical analyses i.e., modified Z-tests and a critical Z-value shall be utilized to determine whether SBC/Ameritech is in parity or has met the benchmark. Attachment A-3 provides a description of how these statistical analyses shall be used.

Voluntary Payments

- 8. The Plan shall also consist of voluntary payments to the U.S. Treasury, with monthly caps for the SBC/Ameritech Service Area (allocated on a per state basis). The 20 performance measurements are categorized as being in either the High, Medium, or Low payment level. Attachment A-5 provides a list of the 20 performance measurements and the payment level that applies each year. Attachment A-4 provides a table for the voluntary payments setting forth the level of payments for measurements categorized as High, Medium, and Low. Attachment A-6 provides the per state monthly caps that apply each year. The obligation to make these voluntary payments in all SBC/Ameritech States except Connecticut attaches 270 days after the Merger Closing Date. The obligation to make these voluntary payments in Connecticut attaches 450 days after the Merger Closing Date.
- 9. SBC/Ameritech shall make voluntary payments to the U.S. Treasury if SBC/Ameritech fails to provide parity or benchmark performance to the aggregate of all CLECs operating in the SBC/Ameritech Service Area in an SBC/Ameritech State on any measurement for either (1) 3 consecutive months, or (2) 6 months or more in a calendar year, as determined by use of the modified Z-tests and a critical Z-value. Voluntary payments for each SBC/Ameritech State shall be made on a per occurrence basis for measurements listed in Schedule A of Attachment A-1 and on a per measurement basis for measurements in Schedule B of Attachment A-1, applying the statistical analyses and the calculations described in Attachment A-3, the payment level for the measurements in Attachment A-5, and the per-occurrence and per-

measurement voluntary payment amounts set forth in Attachment A-4. The voluntary payments shall be calculated on the rolling average of occurrences or measurements, as appropriate, where SBC/Ameritech has failed to provide parity or benchmark performance for 3 consecutive months. If SBC/Ameritech fails to provide parity or benchmark performance in an SBC/Ameritech State for 6 or more months in a calendar year, the voluntary payments shall be calculated as if all such months were missed consecutively. Provided, however, that if SBC/Ameritech fails to provide parity or benchmark performance for 6 or more months in a calendar year and makes a voluntary payment for a failure to provide parity or benchmark performance for any 3 consecutive months during that same calendar year, SBC/Ameritech shall be given a credit for that voluntary payment in the calculation of the voluntary payments due on the total number of months SBC/Ameritech fails to provide parity or benchmark performance.

- In order to ensure that CLECs which order low volumes of certain local service 10. UNEs and that CLECs operating in emerging markets receive parity and benchmark performance, SBC/Ameritech shall increase the voluntary payments calculated in accordance with Paragraph 9 above for measurements 2a-c, 3-5, and 8-11 ("qualifying measurements") and for sub-measurements involving UNE combinations, resold ISDN, ISDN UNE loop and port, BRI loop with test access (i.e., ISDN), and DSL loops within the qualifying measurements where applicable ("qualifying sub-measurements"). For these 23 qualifying measurements and 36 qualifying sub-measurements, the voluntary payments calculated using the 3 month rolling average described in Paragraph 9 above shall be multiplied by a factor of 3 under the following circumstances and pursuant to the following methodology. The provisions of this Paragraph 10 only apply in the event that a voluntary payment is owed for a qualifying measurement or qualifying sub-measurement per the provisions of Paragraph 9 (i.e., this Paragraph only applies in the event that SBC/Ameritech has failed to provide parity or benchmark performance on a qualifying measurement or qualifying sub-measurement for 3 consecutive months or in 6 or more months in a calendar year.)
- a. Qualifying Measurements If, for the 3 months that are utilized to calculate the rolling average, there were 100 or more observations on average for the qualifying measurement, then no increase in voluntary payments is owed pursuant to the provisions of this Sub-paragraph, but the provisions of Sub-paragraph (b) may apply. If, for the 3 months that are utilized to calculate the rolling average, there were more than 10 but less than 100 observations on average for the qualifying measurement, then 1) SBC/Ameritech shall calculate the voluntary payments to the U.S. Treasury for that qualifying measurement in accordance with Paragraph 9 and shall treble the amount of such voluntary payments for that qualifying measurement, and 2) the provisions of Sub-paragraph (b) shall not apply with respect to any sub-measurements within the qualifying measurement.
- b. Qualifying Sub-Measurements If, for the 3 months that are utilized to calculate the rolling average, there were 100 or more observations on average for the qualifying sub-measurement, then no increase in voluntary payments is owed pursuant to the provisions of this Sub-paragraph. If, for the 3 months that are utilized to calculate the rolling average, there were more than 10 but less than 100 observations on average for the qualifying sub-measurement, then SBC/Ameritech shall calculate the voluntary payments to the U.S. Treasury for that qualifying sub-measurement in accordance with Paragraph 9 and shall treble the amount

of such voluntary payments for that qualifying sub-measurement. Per the provisions of Sub-paragraph (a), the provisions of this Sub-paragraph do not apply to any sub-measurements within a qualifying measurement for which treble voluntary payments are owed.

- c. When SBC/Ameritech and the Commission jointly review the 36 measurements on an annual basis in accordance with Paragraph 4, the Commission may substitute, on a one-for-one basis, the sub-measurements associated with any other existing service or UNE within measurements 2a, 2b, or 2c for the initial set of qualifying sub-measurements. During this annual review, the Commission may also increase the number of qualifying sub-measurements by including, from the list of qualifying measurements, the sub-measurements associated with new services and/or UNEs as qualifying sub-measurements. The Commission may add a maximum of 3 such new services and/or UNEs over the duration of the Plan.
- 11. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable, as provided for in Attachment A-6, may be reduced by an amount up to \$125 million in the third year of the Plan if SBC/Ameritech complete the OSS enhancement commitments provided for in Paragraph 14(c), Paragraph 26, and/or Paragraph 29 by a date that is sooner than the target date for the OSS commitment specified in each such paragraph, as follows:
- a. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable may be reduced by an amount up to \$45 million during the third 12 month period if SBC/Ameritech complete the OSS enhancement commitments provided for in Paragraph 14(c) early. If SBC/Ameritech completes Phase 3 of Paragraph 14(c) within the SBC/Ameritech Service Area in all SBC/Ameritech States except Connecticut earlier than 420 days after the Merger Closing Date, excluding any time that is spent in completing Phase 2 beyond the 30 days allotted for reaching a written agreement with the CLECs, the monthly and annual caps shall be reduced by \$5 million if 30 days early, \$10 million if 60 days early, \$15 million if 90 days early, \$20 million if 120 days early, \$30 million if 150 days early, and \$45 million if 180 days early.
- b. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable may be reduced by an amount up to \$40 million during the third 12 month period if SBC/Ameritech complete the OSS enhancement commitments provided for in Paragraph 26 early. If SBC/Ameritech completes Phase 3 of Paragraph 26 within the SBC/Ameritech Service Area in all SBC/Ameritech States except Connecticut within less than 720 days after the Merger Closing Date, excluding any time that is spent in completing Phase 2 beyond the 30 days allotted for reaching a written agreement with the CLECs, the monthly and annual caps shall be reduced by \$5 million if 30 days early, \$10 million if 60 days early, \$15 million if 90 days early, \$20 million if 120 days early, \$30 million if 150 days early, and \$40 million if 180 days early.
- c. The monthly and annual caps on the total amount of voluntary payments for which SBC/Ameritech shall be liable may be reduced by an amount up to \$45 million during the third 12 month period if SBC/Ameritech complete the OSS enhancement commitments provided

for in Paragraph 29 early. If SBC/Ameritech completes Phase 3 of Paragraph 29 within the SBC/Ameritech Service Area in all SBC/Ameritech States within less than 900 days after the Merger Closing Date, excluding any time that is spent in completing Phase 2 beyond the 30 days allotted for reaching a written agreement with the CLECs, the monthly and annual caps shall be reduced by \$5 million if 30 days early, \$10 million if 60 days early, \$15 million if 90 days early, \$20 million if 120 days early, \$30 million if 150 days early, and \$40 million if 180 days early.

- d. Any required reductions in the annual cap pursuant to subparagraphs (a)-(c) above shall be prorated across all 13 SBC/Ameritech states and apportioned to monthly caps utilizing the same ratios used to develop the tables in Attachment A-6.
- 12. The amount of payments otherwise due each month under this Plan in a state shall be offset by the sum of (1) the amount of any payments made by SBC/Ameritech to private or public parties (including, but not limited to, CLECs, state commissions, state governments, public interest funds or groups, or other entities) each month under any state-approved local interconnection performance monitoring or performance measurement plan in that state, and (2) the amount of payments made by SBC/Ameritech related to performance measurements paid to CLECs each month in that state under the terms of an approved local interconnection agreement with SBC/Ameritech. Provided, however, that the amount of any payments made to affiliates of SBC/Ameritech shall not be used in calculating the offset.
- 13. Performance measurement results for each month shall be available to the Commission, state commissions and CLECs by the 20th day of the following month. If SBC/Ameritech becomes liable for voluntary payments to the U.S. Treasury, such payments shall be made 30 days after the performance measurement results become available. If such payments are made, SBC/Ameritech shall provide notice to the Commission within 5 business days after the payment is made.
- 14. SBC/Ameritech shall not be liable for voluntary payments to the U.S. Treasury if SBC/Ameritech's failure to provide parity or benchmark performance is caused by an Act of God, or a *force majeure* event. If SBC/Ameritech determines through "root cause analysis" that it failed to provide parity or benchmark performance for any reason listed above, SBC/Ameritech may seek a waiver from the Chief of the Common Carrier Bureau relieving SBC/Ameritech from voluntary payments to the U.S. Treasury. SBC/Ameritech shall have the burden of proof to make the required showing, and shall have a right of appeal to the Commission. If SBC/Ameritech seeks such a waiver, SBC/Ameritech shall place the voluntary payments at issue into an interest bearing escrow account. If SBC/Ameritech fails to carry its burden of proof, the amount of voluntary payments paid into the escrow account, including any accrued interest, shall be remitted to the U.S. Treasury. If SBC/Ameritech carries its burden of proof, the amount of voluntary payments paid into the escrow account, including any accrued interest, shall be returned to SBC/Ameritech.
- 15. Voluntary payments made by SBC/Ameritech under the Plan shall not be reflected in the revenue requirement of an SBC/Ameritech incumbent LEC.

16. The measurements and benchmarks under the Plan bear no necessary relationship to the standard of performance that satisfies SBC/Ameritech's legal obligations in a particular State, and payments under the Plan shall not constitute an admission by SBC/Ameritech of any violation of law or noncompliance with statutory or regulatory requirements with respect to the provision of local facilities or services to SBC/Ameritech's wholesale or retail customers.

Attachment A-1 PERFORMANCE MEASUREMENTS

Schedule A – Performance Measurements Subject to Per Occurrence Damages:

OSS

1. % FOC Received Within "X" Hours

Provisioning

- 2. SBC Caused Missed Due Dates
- 3. Installation Trouble Reports Within "X" Days
- 4. Mean Installation Intervals
- 5. Average Delay Days For SWBT Caused Missed Due Dates
- 6. Average Installation Interval DSL
- 7. Average Response Time for Loop Qualification Information

Maintenance

- 8. % Missed Repair Commitments
- 9. % Repeat Reports
- 10. Mean Time To Restore
- 11. Trouble Report Rate

Interconnection

12. Average Trunk Restoration Interval for Service Affecting Trunk Groups

Local Number Portability

13. % Pre-Mature Disconnects (Coordinated Cutovers)

Schedule B – Performance Measurements Subject to Per Measurement Damages:

OSS

- 14. OSS Interface Availability*
 - *Payable only to the U.S. Treasury.
- 15. Average Response Time For OSS Pre-Order Interfaces
- 16. Order Process Percent Flow Through

Interconnection

- 17. % Trunk Blockage
- 18. Common Transport Trunk Blockage*
 - *Payable only to the U.S. Treasury.

Collocation

19. % Missed Collocation Due Dates

Billing

20. Billing Timeliness

Attachment A-2a

OSS

1. Measurement:

Percent Firm Order Confirmations (FOCs) Returned Within "X" Hours

Definition:

Percent of FOCs returned within a specified time frame from receipt of a complete and accurate service request to return of confirmation to CLEC

Exclusions:

- Rejected (manual and electronic) orders
- SWBT only Disconnect orders
- Orders involving major projects mutually agreed to by CLECs and SWBT.

Business Rules:

FOC business rules are established to reflect the Local Service Center (LSC) normal hours of operation, which include M-F, 8:00am-5:30pm, excluding, holiday and weekends. If the start/time is outside of normal business hours then the start date/time is set to 8:00 AM on the next business day. Example: If the request is received Monday through Friday between 8:00 AM to 5:00 PM; the valid start time will be Monday through Friday between 8:00 AM to 5:00 PM. If the actual request is received Monday through Thursday after 5:00 PM and before 8:00 AM next day; the valid start time will be the next business day at 8:00 AM. If the actual request is received Friday after 5:00 PM and before 8:00 AM Monday; the valid start time will be at 8:00 AM Monday. If the request is received on a Holiday (anytime); the valid start time will be the next business day at 8:00 AM. The returned confirmation to the CLEC will establish the actual end date/time Provisions are established within the DSS reporting systems to accommodate situations when the LSC works holidays, weekends and when requests are received outside normal working hours. For UNE Loop and Port combinations, orders requiring N, C, and D orders, the FOC is sent back at the time the C order is distributed.

LEX/EDI

For LEX and EDI originated LSR's, the start date and time is the receive date and time that is automatically populated by the interface (EDI or LEX) with the system date / time on the SM-FID once all ordering edits are satisfied and the service order has a distribution date and time in SORD. The end date and time is recorded by both LEX and EDI and reflect the actual date and time the FOC is returned to the CLEC. This data is extracted daily from LEX and EDI and passed to the DSS (Decision Support System) where the end date and time are populated and are used to calculate the FOC measurements. For LSRs where FOC times are negotiated with the CLEC the ITRAK entry on the SORD service order is used in the calculation. The request type from the LSR and the Class of Service tables are used

to report the LSRs in the various levels of disaggregation. The Class of Service tables are based on the Universal Service Order practice.

VERBAL or MANUAL REQUESTS

Manual service order requests are those initiated by the CLEC either by telephone or FAX. The receive date and times are recorded and input on the SM-FID on each service order in SORD for each FOC opportunity. The end times are the actual dates and times the paper Faxes are sent back to the CLEC. FAX end times are recorded and input into the DSS systems via an internal WEB application. Each FOC opportunity is dynamically established on the WEB application via our interface to SORD and the LSC must provide an end date and time for each entry, which depicts the date and time the FOC was actually faxed back to the CLEC. If a CLEC elects to accept an on-line FOC and does not require a paper FAX the FOC information is provided over the phone. In these instances the order distribution time is used in the FOC calculation on the related SORD service order to the appropriate SM-FID entry. These scenarios are identified by data populated on the ITRAK-FID of the service order. The ITRAK-FID is also used when FOC times are negotiated with the CLEC. The LSC will populate the ITRAK-FID with certain pre-established data entries that are used in the FOC calculation.

Levels of Disaggregation:

Manually submitted:

- Simple Res. And Bus. < 24 Hours
- Complex Business (1-200 Lines) < 24 Hours
- Complex Business (>200 Lines) < 48 Hours
- UNE Loop (1-49 Loops) < 24 Hours
- UNE Loop (> 50 Loops) < 48 Hours
- Switch Ports < 24 Hours

Electronically submitted via LEX or EDI:

- Simple Res. And Bus. < 5 Hours
- Complex Business (1-200 Lines) < 24 Hours
- Complex Business (>200 Lines) < 48 Hours
- UNE Loop (1-49 Loops) < 5 Hours
- UNE Loop (> 50 Loops) < 48 Hours
- Switch Ports < 5 Hours

LNP

Manually submitted:

- LNP Only (1-19)< 24 Clock Hours
- LNP with Loop (1-19) < 24 Clock Hours
- LNP Only (20+ Loops) < 48 Clock Hours
- LNP with Loop (20+ Loops) < 48 Clock Hours
- LNP Complex Business (1-19 Lines) < 24 Clock Hours
- LNP Complex Business (20-50 Lines) < 48 Clock Hours
- LNP Complex Business (50+ Lines) < Negotiated with Notification of Timeframe within 24 Clock Hours

Electronically submitted via LEX or EDI:

- Simple Residence and Business LNP Only (1-19) < 5 Business Hours
- Simple Residence and Business LNP with Loop (1-19) < 5 Business Hours
- LNP Only (20+ Loops) < 48 Clock Hours
- LNP with Loop (20+ Loops) < 48 Clock Hours
- LNP Complex Business (1-19 Lines) < 24 Clock Hours
- LNP Complex Business (20-50 Lines) < 48 Clock Hours
- LNP Complex Business (50+ Lines) < Negotiated with Notification of Timeframe within 24 Clock Hours

Calculation:	Report Structure:
(# FOCs returned within "x" hours ÷	Reported for CLEC and all CLECs.
total FOCs sent) * 100	This includes mechanized from EDI
	and LEX and manual (FAX or
	phone orders)

Benchmark:

All Res and Bus 95% / Complex Bus 94% / UNE Loop (1-49) 95% / UNE Loop (>50) 94% / Switch Ports 95%.

A. Provisioning

2a. Measurement

Percent SWBT Caused Missed Due Dates - POTS

Definition:

Percent of N, T, C orders where installation was not completed by the due date as a result of a SWBT Caused Missed Due Date.

Exclusions:

Excludes orders that are not N, T, or C

Business Rules:

The Due Date is the negotiated date by the customer and the SWBT representative for service activation. For CLEC orders, the due date is the due date reflected on the FOC. The Completion Date is the day that SWBT personnel complete the service order activity. UNE COMBOs, are reported at order level.

Levels of Disaggregation:

POTS

- Field Work (FW)
- No Field Work (NFW)
- Business class of service
- Residence class of service

UNE Combo

- Field Work (FW)
- No Field Work (NFW)

Calculation:	Report Structure:
(Count of N, T, C orders not completed by the due date as a result of a SWBT caused missed due date ÷ total number of orders) * 100	Reported for CLEC, all CLECs and SWBT

Benchmark:

Resale POTS parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types). UNE Combo Parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work. (N, T, C order types)

2b. Measurement

Percent SWBT Caused Missed Due Dates - Design

Definition:

Percent of N, T, C orders where installations were not completed by the due date.

Exclusions:

- UNE and Interconnection Trunks
- Excludes orders that are not N, T, or C

Business Rules:

The Due Date is the negotiated date that is returned on the FOC by SWBT for service activation. The Completion Date is the day that SWBT personnel complete the service order activity. The source is WFA (Work Force Administration) and is at an item or circuit level. Specials are selected based on a specific service code off of the circuit ID

Levels of Disaggregation:

- Resold Specials DDS, DS1, DS3, Voice Grade Private Line (VGPL), ISDN, and any other services available for resale.
- UNE Loop and Port ISDN and other combinations.

Calculation:	Report Structure:
(Count of circuits with missed due dates excluding customer caused misses ÷ total number of circuits) * 100	Reported for CLEC, all CLECs and SWBT
Benchmark:	

Parity with SWBT Retail

2c. Measurement

Percent SWBT Caused Missed Due Dates - UNE

Definition:

Percent of UNEs (8db loops are measured at an order level) where installations are not completed by the negotiated due date.

Exclusions:

- Specials and Interconnection Trunks
- Excludes UNE Combos captured in the POTS or Specials measurements
- Exclude orders that are not N, T, or C
- Excludes customer caused misses

Business Rules:

The Due Date starts the clock. The Completion Date is the day that SWBT personnel complete the service order activity, which stops the clock. If the completion date is after the Due Date, the order is flagged as a miss. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.

Levels of Disaggregation:

UNEs contained in the UNE price schedule, and / or agreed to by the parties.

Calculation:	Report Structure:
Count of UNEs (8dB loops are measured at an order level) with missed due dates excluding customer caused misses ÷ total number of UNEs (total orders for 8db loops) *100	Reported for CLEC and all CLECs

Benchmark:	
Parity:	Retail Comparison
1. 8.0 dB Loop with Test Access and	POTS (Res/Bus and FW)
8.0 dB Loop without Test Access	·
2. 5.0 dB Loop with Test Access and	VGPL
5.0 dB Loop without Test Access	
3. BRI Loop with Test Access	ISDN
4. ISDN BRI Port	ISDN
5. DS1 Loop with Test Access	DS1
6. DS1 Dedicated Transport	DS1
7. Subtending Channel (23B)	DDS
8. Subtending Channel (1D)	DDS
9. Analog Trunk Port	VGPL
10. Subtending Digital Direct Combination Trunks	VGPL
11. DS3 Dedicated Transport	DS3
12. Dark Fiber	DS3
13. DSL Loops	DS1

2d. Measurement		
Percent Mechanized Completions Returned Within one Day Of Work Completion		
Definition:		
Percent Mechanized Completions Returned Within one Day		
Exclusions:		
None		
Business Rules:		
Days are calculated by subtracting the date the SOC was returned to the CLEC minus the order completion date.		
Levels of Disaggregation:		
None		
Calculation:	Report Structure:	
(# mechanized completions returned to the CLEC within 1 day of work completion ÷ total mechanized completions) * 100	Reported for CLEC and all CLECs for the electronic interfaces (EDI and LEX).	
Benchmark:		
97%		

3a. Measurement

Percent Trouble Report Within 10 Days (I-10) of Installation - POTS

Definition:

Percent of N, T, C orders that receive a network customer trouble report within 10 calendar days of service order completion.

Exclusions:

- Excludes subsequent reports. A subsequent report is a repair report that is received while an existing repair report is open on the same number.
- Excludes disposition code "13" reports (excludable reports) with the exception of code 1316 unless the report is taken prior to the completion of the service order.
- Excludes reports caused by customer provided equipment (CPE) or wiring
- Excludes trouble report received on the due date before service order completion

Business Rules:

Includes reports received the day after SWBT personnel complete the service order through 10 calendar days after completion.

Levels of Disaggregation:

N, T and C Orders

POTS

- Field Work (FW)
- No Field Work (NFW)
- Business class of service
- Residence class of service

UNE Combo

- Field Work (FW)
- No Field Work (NFW)

Calculation:	Report Structure:
(Count of orders that receive a network customer trouble report within 10 calendar days of service order completion ÷ total # of orders) * 100	Reported for POTS Resale by CLEC, total CLECs and SWBT

Benchmark:

Resale POTS parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types). UNE Combo Parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, C order types).

3b. Measurement

Percent Installation Reports (Trouble Reports) Within 30 Days (I-30) of Installation - Design

Definition:

Percent of N, T, C orders by item that receive a network customer trouble report within 30 calendar days of service order completion

Exclusions:

- UNE and Interconnection Trunks
- Excludes orders that are not N, T, or C
- Excludes trouble report received on the due date before service order completion

Business Rules:

A trouble report is counted if it flagged on WFA (Work Force Administration) as a trouble report that had a service order completion within 30 days. It cannot be a repeat report and must be a measured report. The order flagged against must be an add in order for the trouble report to be counted. Specials are selected based on a specific service code off of the circuit ID.

Levels of Disaggregation:

See	Measurer	nent 2b.
	~ -	T 48

Calculation:	Report Structure:
(Count of circuits that receive a network customer trouble report within 30 calendar days of service order completion ÷ total circuits (excludes trouble reports received on the due date)) * 100	Reported for CLEC, all CLECs and SWBT

Benchmark:

Parity with SWBT Retail

3c. Measurement

Percent Installation Reports (Trouble Reports) Within 30 Days (I-30) of Installation - UNE

Definition:

Percent UNEs (8db loops are measured at an order level) that receive a network customer trouble report within 30 calendar days of service order completion.

Exclusions:

- Specials and Interconnection Trunks
- Excludes Non-measured reports (CPE, Interexchange, and Information reports)
- Excludes UNE Combos captured in the POTS or Specials measurements
- Excludes trouble report received on the due date before service order completion
- Excludes orders that are not N, T, or C

Business Rules:

A trouble report is counted if it is received within 30 days of a service order completion. The service order which generated the report must be an add in order for the trouble report to be counted. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.

Levels	of	Disa	ggre	gation:

UNEs contained in the UNE price schedule, and / or agreed to by the parties

Calculation:	Report Structure:
(Count of UNEs (8db loops are measured at an order level) that receive a network customer trouble report within 30 calendar days of service order completion ÷ total UNEs (total orders for 8db loops)) * 100	Reported for CLEC and all CLECs

Benchmark:

See Measurement 2c.

4a. Measurement

Mean Installation Interval - POTS

Definition:

Average business days from application date to completion date.

Exclusions:

- Excludes customer caused misses
- Field Work orders excludes customer requested due dates greater than 5 business days
- No Field Work orders excluded if order applied for before 3:00 PM; and the due date requested is not same day; and if order applied for after 3:00 PM; and the due date requested is beyond the next business day
- Excludes all orders except N, T, and C orders
- Excludes Weekends and Holidays

Business Rules:

The clock starts on the Application Date, which is the day that SWBT receives a correct Service Order. The clock stops on the Completion Date that is the day that SWBT personnel complete the service order activity. Orders are included in the month they are completed. There are 2 types of orders in the measurement. Same Day Due orders (defined as distribution time EQUAL or BEFORE 3:00 PM and Application Date = Distribution Date = Due Date. Next Day Due orders (defined as distribution time AFTER 3:00 PM and Application Date = Distribution Date and Due Date is 1 business day after Application Date. If the order is Same Day Due, then (Completion – Application Date), if the order is Next Day Due, then ((Completion – Next Business Day) + 1). UNE COMBOs, are reported at order level.

Levels of Disaggregation:

POTS

- Field Work (FW)
- No Field Work (NFW)
- Business class of service
- Residence class of service

UNE Combo

- Field Work (FW)
- No Field Work (NFW)

Calculation:	Report Structure:
[Σ (completion date – application date)]/(Total number of orders completed)	Reported for CLEC, all CLECs and SWBT
Benchmark:	

Resale POTS parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail Field Work (N, T, C order types). UNE Combo Parity between Field Work compared to SWBT Field Work (N, T, C order types) and No Field Work compared to SWBT Retail Field Work. (N, T, C order types)

4b. Measurement

Average Installation Interval - Design

Definition:

Average business days from application date to completion date for N, T, C orders by item or circuit.

Exclusions:

- UNE and Interconnection Trunks
- Excludes orders that are not N, T, or C
- Excludes circuits that have a customer requested Due Date greater than 20 business days
- Excludes Weekends and Holidays

Business Rules:

The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SWBT personnel complete the service order activity by circuit. The base of items is out of WFA (Work Force Administration) and it is reported at an item or circuit level.

Levels of Disaggregation:

	3 4	easuremer	- 4	01
100	11/1	eaguremer	١T	/h
200	TAT	casul cilici	ıι	<i></i> U.

Calculation:	Report Structure:
[Σ (completion date - application date)] ÷ (Total number of circuits completed)	Reported for CLEC, all CLECs and SWBT

Benchmark:

Parity with SWBT Retail

4c. Measurement

Percent Installations Completed Within "X" Days - UNE

Definition:

Percent installations completed within "x" business days excluding customer caused misses and customer requested due date greater than "x" business days.

Exclusions:

- Specials and Interconnection Trunks
- Excludes UNE Combos captured in the POTS or Specials measurements
- Exclude orders that are not N, T, or C
- Excludes customer requested due dates greater than "x" business days as set out below.
- Excludes customer caused misses

Business Rules:

The Application Date is the day that the customer initiated the service request. The Completion Date is the day that SWBT personnel complete the service order activity. The base of items is out of WFA (Work Force Administration) and it is reported at an order level to account for different measurement standards based on the number of circuits per order.

Levels of Disaggregation:

UNEs contained in the UNE price schedule, and / or agreed to by the parties.

Calculation:	Report Structure:	
Count of N, T, C orders installed within business "x" business days ÷ total N, T, C orders) * 100	Reported for CLEC and all CLECs	

Benchmark:

95% within "X" days

- 2 Wire Analog and Digital and INP (1-10) 3 Days
- 2 Wire Analog and Digital and INP (11-20) 7 Days
- 2 Wire Analog and Digital and INP (20+) 10 Days
- DS1 loop(includes PRI) 3 Days
- Switch Ports Analog Port 2 Days
- Switch Ports BRI Port (1-50) 3 Days
- Switch Ports BRI Port (50+) 5 Days
- Switch Ports PRI Port (1-20) 5 Days
- Switch Ports PRI Port (20+) 10 Days
- DS1 Trunk Port (1 to 10) 3 days
- DS1 Trunk Port (11 to 20) 5 Days
- DS1 Trunk Port (20+) ICB
- Dedicated Transport (DS0, DS1, and DS3) (1 to 10) 3 days
- Dedicated Transport (DS0, DS1, and DS3) (11 to 20) 5 Days
- Dedicated Transport (DS0, DS1, and DS3) (20+) and all other types ICB

5a. Measurement

Average Delay Days For SWBT Caused Missed Due Dates - POTS

Definition:

Average calendar days from due date to completion date on company missed orders.

Exclusions:

- Excludes orders that are not N, T, or C.
- Excludes company delayed orders as a result of lack of facilities.

Business Rules:

The Due Date is the negotiated date by the customer and the SWBT representative for service activation. CLEC orders, the due date is the due date reflected on the FOC. The Completion Date is the day that SWBT personnel complete the service order activity.

Combos are reported at the order level.

Levels of Disaggregation:

POTS

- Business class of service
- Residence class of service

UNE Combo - None

Calculation:	Report Structure:
Σ(Completion date – due date) ÷ (total # of completed orders with a SWBT caused missed due date)	Reported for CLEC, all CLECs and SWBT.

Benchmark:

Resale POTS parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types). UNE Combo Parity between Field Work compared to SWBT Field Work (N, T, and C order types) and No Field Work compared to SWBT Retail No Field Work (N, T, and C order types).

5b. Measurement Average Delay Days For SWBT Caused Missed Due Dates - Design **Definition:** Average calendar days from due date to completion date on company missed circuit **Exclusions:** • UNE and Interconnection Trunks. Excludes orders that are not N, T, or C. **Business Rules:** The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is at an item or circuit level. Specials are selected based on a specific service code off of the circuit Levels of Disaggregation: See Measurement 2b. Calculation: **Report Structure:** Σ (Completion date – committed Reported for CLEC, all CLECs and SWBT Retail Specials.

circuit due date) ÷ (# of posted – circuits with a SWBT caused

missed due date)

Parity with SWBT Retail.

Benchmark:

5c. Measurement

Average Delay Days For SWBT Caused Missed Due Dates - UNE

Definition:

Average calendar days from due date to completion date on company missed UNEs (8db loops are measured at an order level).

Exclusions:

- Specials and Interconnection Trunks.
- Excludes UNE Combos captured in the POTS or Specials measurements.
- Excludes orders that are not N, T, or C.

Business Rules:

The calculation is the difference in calendar days between the completion date and the due date. The source is WFA (Work Force Administration) and is at an item or circuit level. UNEs are selected based on a specific service code off of the circuit ID. This measurement is reported at a circuit level for all UNEs with the exception of 8db loops, which are reported at an order level to facilitate comparison with POTS retail.

Levels of Disaggregation:

Calculation:	Report Structure:
∑(Completion date – committed UNE (8db loops are measured at the order level) due date) ÷ (# of posted UNEs (total completed orders for 8db loops) with SWBT caused missed due dates)	Reported for CLEC and all CLECs

Benchmark:

See Measurement 2c.

6. Measurement

Average Installation Interval - DSL

Definition:

Average calendar days from application date to completion date for N, T, and C orders excluding customer caused misses and customer requested due date greater than the offered interval.

Exclusions:

- Exclude orders that are not N, T, or C.
- Excludes customer requested due dates greater than the offered interval
- Excludes customer caused misses.
- Excludes Weekends and Holidays.

Business Rules:

The Application Date is the day that the customer authorizes SWBT to provision the DSL based on the loop qualification. If the loop qualification determines that no conditioning is required, SWBT will initiate the service order when the loop qualification is returned from SWBT engineering and this date will be the application date. If conditioning is required, SWBT will reject the LSR back to the CLEC and wait for a supplement from the CLEC notifying SWBT of the appropriate action to take. If the CLEC supplements the LSR to order the DSL, SWBT will issue the order and the application date will be the date that SWBT receives the supplement. The Completion Date is the day that SWBT personnel complete the service order activity. The base of items is out of WFA (Work Force Administration) and it is reported at a circuit level.

evels			

Loops requiring conditioning and loop	s requiring no conditioning.
Calculation:	Report Structure:
[Σ (completion date - application date)] ÷ (Total number of orders completed)	Reported for CLEC and all CLECs.
Benchmark:	
Parity with SWBT or its Advanced Ser	vices Affiliate(s)

7. Measurement	N	
Average Response Time for Loop Make-Up Information		
Definition:		
The average time required to provide	loop qualification for ADSL.	
Exclusions:		
None		
Business Rules:		
The time starts when a request is received by	the CLEC and ends when the information	
on the loop qualification has been made avai	lable to the CLEC.	
Levels of Disaggregation:		
ADSL or other DSL as determined by	the Public Utility Commission of Texas.	
Calculation:	Report Structure:	
Σ (Date and Time the Loop	CLEC, All CLECs and SWBT.	
Qualification is made available to		
CLEC – Date and Time the CLEC		
request is received)/Total number of		
loop qualifications		
Benchmark:		
Parity		

B. Maintenance

8a. Measurement

Percent Missed Repair Commitments - POTS

Definition:

Percent of trouble reports not cleared by the commitment time.

Exclusions:

• Excludes all disposition code "13" reports (excludable reports) with the exception of code 1316 unless the report is taken prior to the completion of the service order.

Business Rules:

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that SWBT personnel clear the repair activity and complete the trouble report. If this is after the Commitment time, the report is flagged as a 'Missed Commitment'.

Levels of Disaggregation:

POTS

- Business class of service
- Residence class of service
- Dispatch
- No Dispatch

UNE Combo

- Dispatch
- No Dispatch

Calculation:	Report Structure:
(Count of trouble reports not cleared by the commitment time ÷ total trouble reports) * 100	Reported for CLEC, all CLECs and SWBT

Benchmark:

POTS - Parity with SWBT Retail.

UNE Combo – Parity with SWBT Business and Residence combined.

8b. Measurement	
Percent Missed Repair Commitments - UN	NE
Definition:	
Percent of trouble reports not cleared by	y the commitment time for SWBT reasons.
Exclusions:	
Specials and Interconnection Trunk	s
 Excludes all UNE Combos other the 	an 8db loops with test access.
Business Rules:	
receive date and time > 24 hours, it cou	ours. If the cleared date and time minus the nts as a trouble report that missed the repair on a specific service code off of the circuit
Levels of Disaggregation:	
"POTS type" loops (2-Wire Analog 8dl	B Loop) with test access
Calculation:	Report Structure:
(Count of trouble reports not cleared by the commitment time for company reasons ÷ total trouble reports) * 100	Reported for each CLEC, all CLECs and SWBT
Benchmark:	

Parity with SWBT POTS Business and Residence combined

9a. Measurement

Percent Repeat Reports - POTS

Definition:

Percent of customer trouble reports received within 10 calendar days of a previous customer report.

Exclusions:

- Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open
- Excludes disposition code "13" reports (excludable reports) with the exception of code 1316 unless the report is taken prior to the completion of the service order.
- Excludes reports caused by customer provided equipment (CPE) or wiring

Business Rules:

Includes customer trouble reports received within 10 calendar days of an original customer report. When the second report is received in 10 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 10 days, the second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports.

Levels of Disaggregation:

POTS

- Business class of service
- Residence class of service

UNE Combo - None

Calculation:	Report Structure:
Count of customer trouble reports, not caused by CPE or wiring and excluding subsequent reports, received within 10 calendar days of a previous customer report ÷ total customer trouble reports not caused	Reported by CLEC, all CLECs and SWBT
by CPE or wiring and excluding subsequent reports) * 100	

Benchmark:

POTS - Parity with SWBT Retail.

UNE Combo – Parity with SWBT Business and Residence combined.

9b. Measurement Percent Repeat Reports - Design **Definition:** Percent of network customer trouble reports received within 30 calendar days of a previous customer report. **Exclusions:** • UNE and Interconnection Trunk **Business Rules:** Includes customer trouble reports received within 30 calendar days of an original customer report. When the second report is received in 30 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 30 days, The second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports. Levels of Disaggregation: See Measurement 2b. Calculation: Report Structure: Reported for CLEC, all CLECs and Count of network customer trouble **SWBT** reports received within 30 calendar days of a previous customer report ÷ total network customer trouble reports) * 100

Benchmark:

Parity with SWBT Retail

9c. Measurement

Percent Repeat Reports - UNE

Definition:

Percent of network customer trouble reports received within 30 calendar days of a previous customer report.

Exclusions:

- Specials and Interconnection Trunks
- Excludes all UNE Combos other than 8db loops with test access.

Business Rules:

Includes customer trouble reports received within 30 calendar days of an original customer report. When the second report is received in 30 days, the original report is marked as an Original of a Repeat, and the second report is marked as a Repeat. If a third report is received within 10 days, the second report is marked as an Original of a Repeat as well as being a Repeat, and the third report is marked as a Repeat. In this case there would be two repeat reports. If either the original or the second report within 30 days is a measured report, then the second report counts as a Repeat report.

Levels of Disaggregation:

UNEs contained in the UNE price schedule, and / or agreed to by the parties.		
Calculation:	Report Structure:	
Count of network customer trouble reports received within 30 calendar days of a previous customer report ÷ total network customer trouble	Reported for CLEC, all CLECs and SWBT	

Benchmark:

See Measurement 2c.

reports) * 100

10a. Measurement

Receipt To Clear Duration - POTS

Definition:

Average duration of customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared.

Exclusions:

- Excludes subsequent reports. A subsequent report is one that is received while an existing repair report is open.
- Excludes disposition code "13" reports (excludable reports) with the exception of code 1316 unless the report is taken prior to the completion of the service order.

Business Rules:

The clock starts on the date and time SWBT receives a trouble report. The clock stops on the date and time that SWBT personnel clear the repair activity and complete the trouble report in WFA.

Levels of Disaggregation:

POTS

- Business class of service
- Residence class of service
- Dispatch
- No Dispatch
- Affecting Service
- Out of Service

UNE Combo

- Dispatch
- No Dispatch
- Affecting Service
- Out of Service

Calculation:	Report Structure:
Σ [(Date and time SWBT clears ticket with the CLEC) - (Date and time ticket received)] ÷ Total customer trouble reports	Reported for POTS Resale trouble reports by CLEC, all CLECs and SWBT

Benchmark:

POTS – Parity with SWBT Retail.

UNE Combo – Parity with SWBT Business and Residence combined.

10b. Measurement Mean Time To Restore - Design Definition: Average duration of network customer trouble reports from the receipt of the customer trouble report to the time that the trouble report is cleared. **Exclusions:** • UNE and Interconnection Trunk No Access time • Delayed Maintenance time **Business Rules:** The start time is when the customer report is received and the stop time is when the report is closed in WFA. Specials are selected based on a specific service code off of the circuit ID. Levels of Disaggregation: • Resold Specials - DDS, DS1, DS3, Voice Grade Private Line (VGPL), ISDN and any other services available for resale • UNE Loop and Port - ISDN and other combinations Calculation: Report Structure: Reported for CLEC, all CLECs and Σ [(Date and time trouble report is **SWBT** cleared with the customer) - (date and time trouble report is received)] ÷ total network customer trouble reports

Benchmark:

Parity with SWBT Retail

10c. Measurement Mean Time To Restore - UNE Definition: Average duration of network customer trouble reports from the receipt of the customer trouble report to the time the trouble report is cleared excluding no access and delayed maintenance. **Exclusions:** • Specials and Interconnection Trunks • Excludes all UNE Combos other than 8db loops with test access. **Business Rules:** The start time is when the report is received. The stop time is the stop time is when the report is cleared in WFA. Levels of Disaggregation: UNEs contained in the UNE price schedule, and / or agreed to by the parties. Calculation: Report Structure: Reported for CLEC, all CLECs and Σ [(Date and time trouble report is **SWBT** cleared with the customer) - (date and time trouble report is received)] ÷ total network customer trouble reports Benchmark:

See Measurement 2c.

11a. Measurement

Trouble Report Rate - POTS

Definition:

The number of customer trouble reports per 100 lines.

Exclusions:

- Excludes reports caused by customer provided equipment (CPE) or wiring
- Excludes all disposition "13" reports (excludable reports) with the exception of code 1316 unless the report is taken prior to the completion of the service order.

Business Rules:

CLEC and SWBT repair reports are entered into and tracked via WFA. They are downloaded nightly into LMOS. Reports are counted in the month they post to LMOS.

Levels of Disaggregation:

POTS

- Business class of service
- Residence class of service

UNE Combo - None

Calculation:	Report Structure:
[Total number of customer trouble reports ÷ (total lines ÷100)]	Reported for POTS Resale trouble reports by CLEC, all CLECs and SWBT

Benchmark:

POTS - Parity with SWBT Retail.

UNE Combo - Parity with SWBT Business and Residence combined.

11b. Measurement	
Failure Frequency - Design	
Definition:	
The number of network customer troubl	e reports within a calendar month per 100
circuits.	
Exclusions:	
UNE and Interconnection Trunks	
Business Rules:	
CLEC and SWBT repair reports are enter	ered into and tracked via WFA. Reports are
counted in the month they post.	
Levels of Disaggregation:	
See Measurement 2b.	
Calculation:	Report Structure:
[Count of network trouble reports ÷	Reported for CLEC, all CLECs and
(Total Resold circuits ÷100)]	SWBT
Benchmark:	
Parity with SWBT Retail	

11c. Measurement		
Trouble Report Rate - UNE		
Definition:		
The number of network customer troub	le reports within a calendar month per 100	
UNEs.		
Exclusions:		
 Specials and Interconnection Trunk 	s	
 Excludes Non-measured reports (Cl 	PE, Interexchange, and Information reports)	
 Excludes UNE Combos captured in 	the POTS or Specials measurements	
Business Rules:		
Repair reports are entered into and tracked via WFA. Reports are counted in the		
month they post.		
Levels of Disaggregation:		
UNEs contained in the UNE price schedule, and / or agreed to by the parties.		
Calculation: Report Structure:		
[Count of network trouble reports ÷	Reported for CLEC, all CLECs and	
(Total UNEs ÷ 100)] SWBT		
Benchmark:		
See Measurement 2c.		

Interconnection

12. Measurement Average Trunk Restoration Interval for Service Affecting Trunk Groups Definition: The average time to restore service affecting trunk groups. **Exclusions:** None **Business Rules:** Service affecting is defined as 20% of a trunk group out-of-service that causes trunk group blockage. The clock starts on receipt of a trouble ticket from the CLEC that identifies a service affecting condition. The clock stops after completion of work by SWBT. Levels of Disaggregation: • Tandem trunk groups. • Non-Tandem trunk groups. • By Market Region. Calculation: **Report Structure:** Total trunk group outage time / total Reported for CLEC, all CLECs and trunk group trouble reports SWBT. Benchmark: Tandem trunk groups -1 hour / Non-Tandem -2 hours.

Local Number Portability

13. Measurement		
Percentage of Premature Disconnects (Coordinated Cutovers)		
Definition:		
Percentage of coordinated cutovers when customer prior to the scheduled conversi	- · · · · · · · · · · · · · · · · · · ·	
Exclusions:		
None		
Business Rules:		
A premature disconnect occurs any time SWBT disconnects the CLEC customer prior to the CLEC being on line.		
Levels of Disaggregation:		
None		
Calculation:	Report Structure:	
(Count of prematurely disconnected customers ÷ total coordinated conversion customers) * 100 Reported by CLEC and all CLECs disaggregated by INP and INP with UNE loop.		
Benchmark:		
2% or less premature disconnects starting 10 minutes before scheduled time.		

14. Measurement

OSS Interface Availability

Definition:

Percent of time OSS interface is available compared to scheduled availability.

Exclusions:

None

Business Rules:

The total "number of hours functionality to be available" is the cumulative number of hours (by date and time on a 24 hour clock) over which SWBT plans to offer and support CLEC access to SWBTs operational support systems (OSS) functionality during the reporting period. "Hours Functionality is Available" is the actual number of hours, during scheduled available time, that the SWBT interface is capable of accepting or receiving CLEC transactions or data files for processing through the interface and supporting operational support systems (OSS). The actual time available is divided by the scheduled time available and then multiplied by 100 to produce the "percent system availability" measure. SWBT will not schedule normal maintenance during business hours (8 am. to 5:30 PM. Monday through Friday).

Levels of Disaggregation:

None

Calculation:	Report Structure:
((Hours functionality is available during the scheduled available hours) ÷ Scheduled system available hours)) * 100	Reported on an aggregate CLEC basis by interface e.g. EASE, DATAGATE, VERIGATE, LEX, EDI and TOOLBAR. The RAF will be reported on an individual CLECs basis
Benchmark:	
99%	

15. Measurement

Average Response Time For OSS Pre-Order Interfaces

Definition:

The average response time in seconds from the SWBT side of the Remote Access Facility (RAF) and return for pre-order interfaces (Verigate, DataGate and EDI where the pre-order functionality is integrated) by function.

Exclusions:

None.

Business Rules:

The clock starts on the date/time when the request is received by SWBT and the clock stops on the date/time when the SWBT has completed the transmission of the response to the CLEC. The measurement is at the SWBT side of the LRAF. Response time is accumulated for each major query type, consistent with the specified reporting dimension, and then divided by the associated total number of queries received by SWBT during the reporting period. The response time is measured only within the published hours of interface availability. Published hours of interface availability are documented on the CLEC web site. (SWBT will not schedule system maintenance during normal business hours (8 am to 5:30 PM Monday through Friday).

Levels of Disaggregation:

- Address Verification
- Request For Telephone Number
- Request For Customer Service Record (CSR)
- Service Availability
- Service Appointment Scheduling (Due Date)
- Dispatch Required
- PIC

Calculation:		Report Structure:
Σ[(Query Response Date & Time) - (Query Submission Date & Time)] ÷ (Number of Queries Submitted in Reporting Period)		Reported on a CLEC and all CLECs basis by interface for DATAGATE and VERIGATE
Benchmark:		
	DataGate:	Verigate
Address Validation	4.5 sec.	4.5 sec.
TN Selection	4.5 sec.	4.5 sec.
CSR Summary 1-30 Lines	10 sec.	10 sec.
CSR 31 Lines or more	24 hrs.	24 hrs.
Service Availability	5.5 sec.	8.0 sec.
Due Date	2.0 sec.	2.0 sec.
Dispatch	11 sec.	11 sec.

16. Measurement **Order Process Percent Flow Through** Definition: Percent of orders or LSRs from entry to distribution that progress through SWBT ordering systems. **Exclusions:** LEX/EDI excludes rejected orders (manual or electronic). (Excluded from Denominator). **Business Rules:** The number of MOG Eligible orders, that flow through SWBT's ordering systems and are distributed in SORD without manual intervention, divided by the total number of MOG Eligible orders within the reporting period. Exclude only mechanically generated and rejected orders in the pass through calculation. Manually rejected orders that are electronically generated shall be included as failed pass-through until such time a measurement is established to capture manually rejected orders that are generated mechanically. Levels of Disaggregation: For CLEC typed orders by UNE loops, Resale, UNE Combos, and other. Calculation: Report Structure: (# of orders that flow through ÷ total Reported by individual CLEC, CLECs and SWBT. orders) * 100 Benchmark:

Parity

Interconnection

17. Measurement:

Percent Trunk Blockage

Definition:

Percent of calls blocked on outgoing traffic from SWBT end office to CLEC end office and from SWBT tandem to CLEC end office

Exclusions:

None.

Business Rules:

Blocked calls and total calls are gathered during the official study week each month. This week is chosen from a pre-determined schedule.

No penalties or liquidated damages apply:

- If CLEC's have trunks busied-out for maintenance at their end, or if they have other network problems which are under their control.
- SWBT is ready for turn-up on Due Date and CLEC is not ready or not available for turn-up of trunks.
- If CLEC does not take action upon receipt of Trunk Group Service Request (TGSR) or ASR within 3 days when a Call Blocking situation is identified by SWBT or in the timeframe specified in the ICA.
- If CLEC fails to provide a forecast.
- If CLEC's actual trunk usage, as shown by SWBT from traffic usage studies, is more than 25% above CLEC's most recent forecast, which must have been provided within the last six-months unless a different timeframe is specified in an interconnection agreement

The exclusions do not apply if SWBT fails to timely provide CLEC with traffic utilization data reasonably required for CLEC to develop its forecast or if SWBT refuses to accept CLEC trunk orders (ASRs or TGSRs) that are within the CLEC's reasonable forecast regardless of what the current usage data is.

Levels of Disaggregation:

- The SWBT end office to CLEC end office and SWBT tandem to CLEC end office trunk blockage will be reported separately
- By Market Region

Calculation:	Report Structure:
(Count of blocked calls ÷ total calls	Reported for CLEC, all CLECs and
offered) * 100	SWBT
Renchmark:	

Dedicated Trunk Groups not to exceed blocking standard of B.01.

18. Measurement:	The state of the s		
Common Transport Trunk Blockage			
Definition:			
Percentage of local common transport tr	unk groups exceeding 2% blockage.		
Exclusions:			
No data is collected on weekends			
Business Rules:			
Blocked calls and total calls are gathered	Blocked calls and total calls are gathered during the official study week each		
month.			
This week is chosen from a pre-determine	ned schedule.		
Levels of Disaggregation:			
 Common trunk groups where CLEC 	s share ILEC trunks, and Common trunk		
groups for CLECs not shared by ILEC.			
By Market Region.			
Calculation:	Report Structure:		
(Number of common transport trunk	Reported on local common transport		
groups exceeding 2% blocking + total trunk groups.			
common transport trunk groups) * 100.			
Benchmark:			
3% Blockage			

C. Collocation

19. Measurement **Percent Missed Collocation Due Dates Definition:** The percent of SWBT caused missed due dates for Collocation projects. **Exclusions:** None **Business Rules:** The clock starts when SWBT receives, in compliance with the approved tariff, payment and return of proposed layout for space as specified in the application form from the CLEC and the clock stops when the collocation cage is complete and ready for CLEC occupancy. Due Date Extensions will be extended when mutually agreed to by SWBT and the CLEC, or when a CLEC fails to complete work items for which they are responsible in the allotted time frame. The extended due date will be calculated by adding to the original due date the number of calendar days that the CLEC was late in performing said work items. Work items include but are not limited to: CLEC return to SWBT corrected and complete floor plan drawings CLEC placement of required component(s) If the business rules and tariff are inconsistent, the terms of the tariff will apply.

evels	of D	isaggi	regation:

Levels of Disaggregation:	
Physical, virtual, cageless and additions	
Calculation:	Report Structure:
(count of number of SWBT caused missed due dates for physical collocation facilities ÷ total number of physical collocation projects) * 100	Reported for individual CLEC and all CLECs
Benchmark:	·
95% within the due date. Damages and A the number of days late.	ssessments will be calculated based on

Billing

20. Measurement	
Billing Timeliness (Wholesale Bill)	
Definition:	
Billing Timeliness measures the length o sent or transmitted (made available) to the	f time from the billing date to the time it is a CLECs.
Exclusions:	
Excludes Weekends and Holidays	
Business Rules:	
The transmission date is used to gather the measure counts the number of workdays for each bill.	ne data for the reporting period. The between the bill day and transmission date
Levels of Disaggregation:	
None	
Calculation:	Report Structure:
(Count of bills transmitted on time ÷ total number of bills released) * 100	Reported for CLEC and all CLECs
Benchmark:	
95% within 6 th workday	